



## Cleaning Chemicals

### TONA CLEAN 17

Liquid solvent for cleaning aluminum, cast iron, and steel.

**Save money:** You need only 3 parts Tona Clean to 100 parts water. Your Hot Tank or Power Spray only needs to be heated to 115°F (55°C)

|            |                 |
|------------|-----------------|
| 4 Litres   | TONACLEAN17-4   |
| 20 Litres  | TONACLEAN17-20  |
| 205 Litres | TONACLEAN17-205 |

### TRUSPRAY "NON-FOAM"

Powder Detergent for use in power spray washers and hot tanks. Cleans aluminum and cast iron. Mix 75-300g: 20 Litres water

|                       |              |
|-----------------------|--------------|
| 20.9 Kg Pail (46 lbs) | TRUSPRAY-20  |
| 65 Kg Pail (143 lbs)  | TRUSPRAY-65  |
| 181 Kg Pail (398 lbs) | TRUSPRAY-181 |

### TRUCLEAN 18 PDF

Caustic ferrous hot tank powder for use in hot tanks. Cleans steel and cast iron only. Mix 2.2kg: 44 litres water

|                       |                   |
|-----------------------|-------------------|
| 20.9 Kg Pail (46 lbs) | TRUCLEAN18PDF     |
| 65 Kg Pail (143 lbs)  | TRUCLEAN18PDF-65  |
| 181 Kg Pail (398 lbs) | TRUCLEAN18PDF-181 |

## Coating & Protecting Chemicals

### TRU KOTE 202

Prevents cast-steel rusting or aluminum discoloration when shipping or stocking machined parts. It provides up to 18 months surface protection.

|          |              |
|----------|--------------|
| 4 Litres | TRU KOTE 202 |
|----------|--------------|

### RUSTLEX N.R.

Use 1% Solution. Yes, just 1% of RUSTLEX N.R. added to your power spray washer's rinse water will clean off honing oil and coolants while prevent rusting of parts and prevent discoloration of aluminum.

|           |               |
|-----------|---------------|
| 4 Litres  | RUSTLEX NR-4  |
| 20 Litres | RUSTLEX NR-20 |

## HIGH FREQUENCY CONCENTRATE ULTRA SONIC CLEANER

For industrial cleaning, removal of grease and oil.  
Light /med. cleaning: 3-5 parts cleaner to 100 parts water.  
Heavy cleaning: 8 parts concentrate to 100 parts water.

|           |       |
|-----------|-------|
| 4 Litres  | HF-4  |
| 20 Litres | HF-20 |

### ULTRA SONIC CLEANER FILTERS


|                             |                 |
|-----------------------------|-----------------|
|                             | <u>PART No:</u> |
| 30 MICRON                   | 6700-330        |
| CARBON FILTER               | 6740-523        |
| (10% discount on 6 or more) |                 |

## Protection Gloves

For power spray washers and hot tanks. Double-Dip solvent resistant P.V.C. gloves with a heat resistant jersey liner. Protect your hands from chemical reactions and chemical heat burns. Offers greater chemical resistance, superior gripping quality, and better cut resistance.

**GL-1414T** 14" (wrist) Model  
Buy a dozen - SAVE 15%

**GL-1418T** 18" (elbow) Model  
Buy a dozen - SAVE 15%





**Flywheel, Crank,  
& Surface Grinding**

**HPC 653**

BE IN THE PINK!

Pink cutting coolant. The best soluble cutting coolant for crankshaft grinders, surface grinders, belt grinders and flywheel grinders.

Super clean HPC 653 Pink Coolant provides faster grinding by reducing stone loading and

4 Litres            HPC-653  
20 Litres          HPCO-653

**Valve Grinding Oil**

**TRUKUT 122**

Specially formulated grinding oil for use in all valve refacing machines. Extends wheel life while allowing for a better surface finish and cooling of work piece.

4 Litres            TRUKUT 122  
20 Litres          TRUKUT 122-20

**Honing Oil**

**Lexhone Supreme**

Lexhone's best honing oil. Formulated to Industrial Production Standards. Hone faster with less friction, heat, and stone wear.

20 Litres            LEXHONE SP-20  
205 Litres          LEXHONE SP-205

**Lexhone 50E**

Our most popular honing oil. This heavy duty honing oil is an excellent value.

20 Litres            LEXHONE 50E-20  
205 Litres          LEXHONE 50E-205

**Lexhone 30E**

Lexhone's economy honing oil. Sufficient quality for the cost conscious user.

20 Litres            LEXHONE 30E-20  
205 Litres          LEXHONE 30E-205

**Lexhone Concentrate**

Eliminate expensive freight costs. Approximately 70% the quality of Lexhone 50E.

1:8 and 1:6 mix ratios depending on additive used.

4 Litres            LEXHONE CNT-4  
20 Litres          LEXHONE CNT-20

**Replacement Honing Filter**

For Sunnen & other honing equipment

**Microlite Filter**            166949

\*Quantity Discounts Available.

**DRY GRAPHITE LUBE SPRAY**

A fast drying lubricant that forms a thin, black film providing excellent anti-friction and anti-seizure properties to surfaces. ALL POSITION valve allows can to be used in any position. May be used as a parting compound on dies, sand cores & match plates.
















14 oz Aerosol Can    M620-1506



**Benefits:**

- *Minimizes dust & dirt pick-up*
- *Inert to oils, water & alkalies*
- *Has broad temperature range*
- *Does not contain oil or water base*
- *Pieces can be used immediately*
- *Performs under extreme pressures*

# DIAMOND DRESSING TOOLS

|   | PART NO.      | MACHINE TYPE  | DESCRIPTION                           | CARET |
|---|---------------|---|---------------------------------------|-------|
|    | <b>TFM300</b> | <b>VALVE SEAT GRINDER/ PISTON &amp; ROD GRINDERS/DRUM LATHE</b><br>B&D 5574, SKIL, SIOUX 112, THOR 74448, VAN DORN (EXCEPT 302& 302H), SUNNEN GRC-500 | 3/8" x 1-5/8" ROUND                   | 1/5   |
|    | <b>TFM301</b> | <b>DRUM LATH/PISTON GRINDER</b><br>BARRET, VAN NORMAN 302, 302H, 75, 76 RELIO   | 3/8" x 3" ROUND                       | 1/5   |
|    | <b>TFM302</b> | <b>VALVE SEAT GRINDER</b><br>B&D 20157, TOBIN ARP (S&D), VAN DORN, THOR 74327.  | 3/8" x 2-1/4" - 24 NF THREAD          | 1/5   |
|    | <b>TFM303</b> | <b>VALVE REFACER</b><br>KWIK-WAY, TOBIN ARP (S&D)   | 5/16" x 2-1/2" ROUND                  | 1/5   |
|    | <b>TFM304</b> | <b>VALVE SEAT GRINDER/VALVE REFACER/ ROD GRINDER</b><br>K-W VALVE MASTER, S/V #65, VN VR-1000.  | 1/2" x 3-1/4" - 20 NF THREAD          | 1/5   |
|    | <b>TFM305</b> | <b>VALVE SEAT GRINDER</b><br>SCREW NIB  | 3/8" HEAD 10-32 THREAD                | -     |
|   | <b>TFM306</b> | <b>VALVE SEAT GRINDER/ VALVE REFACER</b><br>SIOUX 1715, KWIK-WAY (NSG), THOR  | 3/8" x 2-3/4" - NF THREAD             | 1/5   |
|  | <b>TFM308</b> | <b>VALVE SEAT GRINDER/ VALVE REFACER</b><br>HALL 13-11977, KWIK-WAY, KO LEE A173, VAN NORMAN, K.R. WILSON   | 1/4" x 1" STEP TYPE                   | 1/5   |
|  | <b>TFM310</b> | <b>VALVE SEAT GRINDER/ VALVE REFACER</b><br>HALL HD (13-1938P)  | 5/16" x 2-1/4" - 24NC THREAD          | 1/5   |
|  | <b>TFM311</b> | <b>VALVE SEAT GRINDER</b><br>VAN NORMAN   | 1/4" x 2"                             | 1/5   |
|  | <b>TFM312</b> | <b>VALVE SEAT GRINDER</b><br>SIOUX HEAVY DUTY 1715B   | 3/8" HEX RIGHT- HAND THREAD           | 1/5   |
|  | <b>TFM315</b> | <b>VALVE SEAT GRINDER</b><br>SIOUX HEAVY DUTY 1715A   | 3/8" x 2-3/4" - 24NF THREAD           | 1/2   |
|  | <b>TFM316</b> | <b>VALVE SEAT GRINDER</b><br>HALL HEAVY DUTY (13-1938P), SKIL, SNAP ON, B&D, U.S.   | 5/16" x 2-1/4" - 24NF THREAD          | 1/5   |
|  | <b>TFM317</b> | <b>VALVE REFACER</b><br>KWIK-WAY CV, SV, VS   | 7/16"x2-3/4" - 20NF THREAD            | 1/5   |
|  | <b>TFM318</b> | <b>VALVE SEAT GRINDER</b><br>KWIK-WAY HEAVY DUTY  | 1/2" x 3" - 20NF THREAD (HALF LENGTH) | 1/5   |

\*Other diamond dressing tools available by special order– please contact us for more information.